STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	15C0001045	A. BUILDING _____ B. WING _____	04/10/2014

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
INDIANA ENDOSCOPY CENTERS	**1801 N SENATE BLVD, STE 410 INDIANAPOLIS, IN 46202**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
Q 000	INITIAL COMMENTS This visit was for a re-certification survey. Facility Number: 006221 Survey Date: 4-7/10-14 Surveyors: Jack I. Cohen, MHA Medical Surveyor Jennifer Hembree, RN Public Health Nurse Surveyor Indiana Endoscopy Centers is in compliance with 42 CFR 416.40 through CFR 416.49, Medicare Conditions of Participation for Ambulatory Surgery Centers. QA: claughlin 04/29/14	Q 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients . (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.